

# RAJASTHAN STATE MINES & MINERALS LIMITED

(A Government of Rajasthan Enterprises)

REGISTERED OFFICE:
C89-90, Lal Kothi Scheme, Janpath Jaipur (Rajasthan) India
Ph.:+91-141-2743734, 2743934
Fax:+91-141-2743735, 2428739

Fax: +91-141-2743735, 2428739 CIN No.: U14109RJ1949SGC000505

PAN No: AAACR7857H GSTIN No. 08AAACR7857H1Z0 CORPORATE OFFICE:
4, Meera Marg,
Udaipur – 313 001
Ph.:-91-294-2428768,2428763-67
Fax:+91-294-2428768
www.rsmm.com

e-mail naveengupta.rsmml@rajasthan.gov.in

#### TENDER DOCUMENT

TO

# e-TENDER NO. RSMM/CO/MM/NIT-03/2025-26 Dated 21.05.2025 FOR SUPPLY, ERECTION & COMMISSIONING OF 2 NO. BUNK HOUSE (SITE OFFICE) WITH TOILET AT COMPANY'S BAJRI MINE SITE NEAR VILLAGE AKOLA & ADSIPUR, DIST. BHILWARA.

S.NO.	Description	Date	Time	
1	Bid Submission Start Date	27.05.2025	11:00 a.m.	
2	Bid Submission Closing Date	02.06.2025	6:00 p.m.	
3	Techno-Commercial Bid Opening Date	03.06.2025	3:00 p.m.	
4	Last date of Submission of Tender Document Fee, Processing Fees and Bid Security as per tender	02.06.2025	on or before 02.06.2025 up to 6:00 p.m.	
5	Price Bid Opening Date	Will be intimated to the technoqualified bidders procurement porta	no-commercially s through e-	
6	Websites for downloading tender documents/corrigendum etc.	www.eproc.rajasthan.gov.in www.rsmm.com http://sppp.rajasthan.gov.in		
7	Website for submission of tender/bid (only online)	http://www.eproc	c.rajasthan.gov.in	
8	Tender Document Fees	favour of "Rajastl	lusive of GST) in han State Mines & payable at Udaipur.	
9	RISL Processing Fees	Rs. 500/- in favou payable at Jaipur.		
10	Bid Security Declaration	Rs. 32,000/- "Rajasthan State Limited" payable	Mines & Minerals	



# RAJASTHAN STATE MINES & MINERALS LIMITED

(A Govt. of Rajasthan Enterprise)

REGISTERED OFFICE:

C89-90, Lal Kothi Scheme, Janpath Jaipur (Rajasthan) India Ph.:+91-141-2743734. 2743934 Fax: +91-141-2743735, 2428739

CIN No.: U14109RJ1949SGC000505

PAN No: AAACR7857H GSTIN No. 08AAACR7857H1Z0 CORPORATE OFFICE:

4, Meera Marg, Udaipur – 313 001 Ph.:-91-294-2428768,2428763-67

Fax:+91-294-2428768 www.rsmm.com

e-mail naveengupta.rsmml@rajasthan.gov.in

e-TENDER NO. RSMM /CO/MM/NIT-03/2025-26

Dated 21.05.2025

#### NOTICE INVITING e-TENDER

e-Tender in Two parts (Techno Commercial Part & Price Part) are invited for following work-

Description of Items	Bid Security	Qty.	Due Date of Opening
SUPPLY, ERECTION & COMMISSIONING OF 2 NOS. BUNK HOUSE (SITE OFFICE) WITH TOILET AT COMPANY'S BAJRI MINE SITE NEAR VILLAGE AKOLA & ADSIPUR, DIST. BHILWARA	32,000/-	2 Nos.	03.06.2025

For more details, visit us on website <a href="www.rsmm.com.">www.rsmm.com.</a>, <a href="www.eproc.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a>, or contact Manager (MM) at the above address. However, bids will be submitted online only through e-procurement portal of Govt. of Rajasthan.

(Dr. S. S. Daiya) Head (MM)



# Rajasthan State Mines & Minerals Limited

(A Government of Rajasthan Enterprise)

### e-TENDER NO. RSMM/CO/MM/NIT-00/2025-26 FOR SUPPLY, ERECTION & COMMISSIONING OF 2 NO. BUNK HOUSE (SITE OFFICE) WITH TOILET AT COMPANY'S BAJRI MINE SITE NEAR VILLAGE AKOLA & ADSIPUR, DIST. **BHILWARA**

<del>-  </del>
Instruction for Preparation & Submission of tender and
conditions of e-Tender.
General profile of tenderer.
Undertaking towards banning/suspension & GST
Registration details as per MSMED Act, 2006.
Undertaking towards acceptance of all terms & conditions of
tender.
Details of taxes & duties offered in the price bid.
Check-list to technical specification.
Details of Past Experience.
Declaration by Tenderer.
Format of BG towards S.D.
Format of Bid Security Declaration
Format of Performance security declaration.
List of Public Sector Banks & Private Sector banks as per
schedule II of the Reserve Bank of India Act, 1954.
Format of Undertaking for B. G.
Compliance with the Code of Integrity and No Conflict of
Interest.
Declaration by the Bidder regarding Qualifications.
Grievance Redressal during Procurement Process and Form No.
1.
Additional Conditions of Contract.
Format of Application by MSME for Purchase Preference in
Procurement of Goods.
Format of Affidavit.



# SECTION -1: Instructions for preparation & submission of e-tender and Conditions of e-Tender:

### 1.0 Instructions for preparation & submission of tender:

- i) Tender shall be submitted online only through e-procurement portal of GoR i.e. www.eproc.rajasthan.gov.in.
- ii) No physical/offline Tender/bid shall be accepted.
- iii) The **Tender document fee** shall be in the form of RTGS/NEFT/Demand Draft/Bankers Cheque/Bank Pay Order in **favour of "Rajasthan State Mines & Minerals Limited" payable at Udaipur** and shall be submitted to the office of the Head (MM),4-Meera Marg, Udaipur up to schedule date and time, as above.
- iv) The **Bid Security** shall be in the form of RTGS/NEFT/Demand Draft/Bankers Cheque/Bank Pay Order **in favour of "Rajasthan State Mines & Minerals Limited" payable at Udaipur** and shall be submitted to the office of the Head (MM), 4-Meera Marg, Udaipur up to schedule date and time, as above.
- v) The **Processing Fee** shall be in the form of RTGS/NEFT/Demand Draft /Bankers Cheque/ Bank Pay Order drawn in favour of "**MD RISL**" **payable at Jaipur** and shall also be submitted to the office of the Head (MM), 4-Meera Marg, Udaipur up to schedule date and time, as above.
- vi) Conditional tenders and casual letters sent by the bidders will not be accepted.
- vii) Bidders are requested to read the instruction in the Tender Document/Bid before submitting the Tender/BID online.
- viii) The Tender Document is not transferable.
- ix) Bidders who wish to participate in this tender will have to be registered on http://eproc.rajasthan.gov.in. To participate in online tenders, bidders will have to procure Digital Signature Certificate (type II or III) as per Information Technology Act-2000 using which they can sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency or may contact Government of Rajasthan e-procurement Cell, Department of IT&C for further assistance. Bidders who already have a valid Digital Certificate not to procure a new Digital Certificate.
- x) <u>Contact details of Government of Rajasthan e-procurement Cell, Department of IT&C for any technical related queries are:</u>
  - 24X7 Help Desk Telephone No. 0120-4200462, 0120-4001002, 8826246593. e-mail-support-e proc @ nic.in. Local Help Desk Number 0141-4022688. 9.30 a.m. to 6.00 p.m. on all working days. email: eproc@rajasthan.gov.in, Address: e-procurement cell, RISL. Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur.
- xi) Training for the bidders on the usage of e-Tendering system is also being arranged by RISL on regular basis. Interested bidders may contact e-Procurement Cell, RISL.



- xii) Bidder shall submit their offer on-line in electronic formats both for techno commercial and financial bid, however Demand Draft/ Bankers Cheque/ Bank Pay Orders/RTGS/NEFT for Tender Fees & Bid Security & Processing Fees should be submitted offline (manually /post/courier) to the office of Head (MM) before scheduled date & time as mentioned in tender document. Scanned copies of Demand Daft/Bankers Cheque/Bank Pay Orders should also be uploaded along with the online Bid.
- Tender Document Fee, processing fees & bid security can also be furnished xiii) by the way of RTGS/NEFT in the account of RSMML in addition to other modes already prescribed in the relevant clauses of the tender document.

### Our Bank Details are as under:

IDBI Bank, Account No.:050102000002202 IFSC Code: IBKL000050 Saheli Marg, Udaipur (Raj.) India

Note: Tenderes are requested to forward the UTR no. & other relevant details through email immediately after deposition of fees through RTGS/NEFT for verification at our end on above mentioned e-mail address

- Before electronically submitting the tenders, it should be ensured xiv) tender papers including conditions of contract are digitally signed by the tenderer.
- Bidders are also advised to refer "Bidders manual" available under "Download" xv) section for further details about the e-tendering process.
- xvi) All bidders are advised not to wait for last date and submit their tender/bid at earliest. The Company shall not be responsible for any interruption/technical snag in website and No extension in deposition of Tender/bid shall be allowed unless otherwise RSMML extends the dates.
- xvii) Provisions of Rajasthan Transparency in Public Procurement Act, 2012 and Rajasthan Transparency in Public Procurement Rule, 2013 & subsequent amendments time to time, will also be applicable & part of this tender.
- In compliance to the Rajasthan Transparency in Public Procurement Act,2012 and Rajasthan Transparency in Public Procurement Rule, 2013, following annexures are enclosed and tenderers are required to furnish duly filled, sealed and signed copies of these annexures along with Part - I of offer.

Annexure-A- Compliance with the Code of Integrity and No Conflict of Interest.

Annexure-B- Declaration by the Bidder regarding Qualifications.

Annexure-C- Grievance Redressal during Procurement Process and Form No. 1. Annexure-D- Additional Conditions of Contract.

xix) Bidders shall have to upload the legible/readable bid documents online through e-proc portal in the "covers" as below/prescribed in the document in PDF/jpg format.

### **COVER-A**

i) Scanned Copies of RTGS/NEFT details/Demand Draft/Bankers Cheque/ Bank Pay Orders towards Tender document Fees & Processing Fees and Bid Security.

### COVER-B:

- i) Authorisation in favour of a person signing tender document.
- ii) General profile of tenderer as per Annexure-I, Declaration towards banning/suspensions & GST as per Annexure-II, Registration details as per MSMED Act, 2006 as Annexure- III along with supporting documents, Undertaking towards acceptance of all terms & conditions of tender as per Annexure- IV and Details of taxes & duties offered in price bid as per Annexure-V.
- iii) Check-list to technical specification for the tendered products as per Annexure- VI.
- iv) Details of Past Experience as per Annexure-VII copies of supporting documents like purchase orders, performance certificate etc.
- v) Document towards Tenderer status as per Annexure-VIII.
- vi) Details of the offices from where after sales services will be provided by the manufacturer / bidder at site preferable from Bhilwara.
- vii) Detailed specifications and illustrated catalogue and specific technical information about the offered bunk house alongwith related drawings etc.

### **COVER-C**

Price Bid in xls format.

#### 2.0 SUBMISSION & OPENING OF TENDERS:

The online submission of bids on the e-procurement portal i.e. http://eproc.rajasthan.gov.in within the specified date and time will be the sole responsibility of the Tenderers. In case the date of opening of bids happens to be a holiday, then the bids shall be opened on the next working day.

Tenderers are requested to ensure submitting their tender online on e-procurement portal only and furnishing Demand Draft/Bankers Cheque/Bank Pay Orders towards Tender Document Fee, Processing Fee and Bid Security offline to the office of Head(MM) within the specified time & date of submission. Tenders in physical form (offline) will not be acceptable in any case.

Tenderers may note that they will not be able to submit their tenders online after the specified/scheduled date & time of submission of bid document. Tenderers should also to ensure furnishing Demand Draft/Bankers Cheque/

Bank Pay Orders towards tender document fee/Bid Security/Processing Fees to the office of Head(MM) within the specified time & date of submission. Failing which, their online bids will not be opened.

Tender Document Fees, Processing Fees & Bid Security may also be furnished by the way of RTGS/NEFT in the account of RSMML in addition to other modes already prescribed in the relevant clauses of the tender document.

#### Our Bank Details are as under:

IDBI Bank, Account No.:050102000002202

IFSC Code: IBKL0000050

Saheli Marg, Udaipur (Raj.) India

Note: Tenderes are requested to forward the UTR no. & other relevant details through email immediately after deposition of fees through RTGS/NEFT for verification at our end on above mentioned e-mail address.

### 3.0 GUARANTEE/ WARANTEE:

The tenderer shall warrant that the equipment supplied under the contract/order is new, unused, of current design & not likely to be discontinued or become obsolete till the life of the offered equipment and shall be free from all defects and faults in material, workmanship and manufacture and shall be of the highest grade.

The equipment will be in consistent with the established, recognized or stipulated standards for materials of the type ordered and in full conformity with the specifications, drawings or samples if any. This warranty shall survive inspection and acceptance of the goods.

The tenderer shall guarantee/warranty for the satisfactory performance of the complete bunk house for a period of 12 months from the date of successful commissioning of Bunk House/ final handing over of Bunk house to RSMML.

In the event of any defects in materials, design and workmanship during the aforesaid period is found due to faulty design or poor workmanship, the defective part or parts will be replaced by the tenderer at site free of cost within 30 days of settlement of warranty claims. The tenderer will be required to stock spare parts to take care of warranty failures. Spares should be available within 2 weeks of the breakdown being intimated to them. The guarantee/composite warranty shall be submitted along with the bill. The warranty shall cover for the total equipment so that the necessity of having to approach different manufacturers does not arise and all services under warranty clause shall be responsibility of the ultimate tenderer of the composite equipment. Tenderer will also replace the defective parts, if any, during the warranty period free of cost. The responsibility to collect the defective/ rejected material will lie with the tenderer and the cost for such collection will have to be borne by the tenderer.

### 4.0 WORK COMPLETION PERIOD:

The tenderer is to offer the minimum possible work completion period to Supply, Erection & Commission of the offered Bunk Houses along with all related other items required for completion / execution of contract as per the scope of work on turn-key basis at site.

### 5.0 SCOPE OF WORK, SPECIFICATIONS & QUANTITY:

Specification, scope of work and detailed technical details of the Bunk House is mentioned as Annexure- VI. Tenderer is requested to furnish the required technical details / confirmations in the annexure-VI itself.

#### Note:

- i) Tenderer's are advised to visit site to witness location of Erection & Commissioning of Bunk House, soil conditions, facilities available etc. No claim on this account will be entertained by the company at any point of time.
- ii) Address of site-

One No. Bunk house at RSMML, Bajri Project. Plot no. BJ-04,BJ-05 near village Adsipur & Akola, Tehsil- Kotari/Sawaipur, Distt. Bhilwara (Rajasthan)

One No. Bunk house at RSMML, Bajri Project. Plot no. BJ-06 near village Akola, Tehsil- Kotari/Sawaipur, Distt. Bhilwara (Rajasthan)

Distance between both the sites is approx. 4 kms.

ii) Incase the bunk house will be installed at the specified area and then allotment of stock yard would be finalized, shifting of bunk house upto approx. distance of 200-300 mtrs shall be under the scope of tenderer.

### 6.0 ERECTION & COMMISSIONING OF BUNK HOUSE:

The tenderer will be responsible for Erection & Commissioning of the Bunk Houses at site. The tenderer shall depute qualified and competent technical & other staff to Supervise, erection & Commission of the Bunk House free of cost for suitable man days.

### 7.0 VALIDITY:

The tenderer shall keep the offer open for acceptance by RSMML for a minimum period of **Four Months** from the date of opening of tender (Part-I), within which period the tenderer shall have no right to withdraw, cancel, amend or modify his offer. In case of withdrawal/cancellation/ amendment/ modification in the offered tender, the Bid Security deposited by the tenderer shall stand forfeited. The validity period may be extended further, if required, by mutual consent from time to time.

In case, tenderer, after issuance of communication of acceptance of offer (LOA/PO) by RSMML, fails to execute the contract as per the conditions therein, such an event will be considered as the tenderer's calculated willful breach of the contract. The cost & consequence in such cases shall be on the sole account



of the tenderer. Moreover, RSMML have full right to claim damages thereof in addition to the forfeiture of BID SECURITY.

# 8.0 BID SECURITY, TENDER DOCUMENT FEES & PROCESSING FEES:

The tenderer shall deposit (interest free) a sum of Rs. **32,000**/- (Rupees Thirty Two Thousand only) as Bid Security in the form of RTGS/ NEFT/Demand Draft / Bankers Cheque/ Bank Pay Orders payable to RSMML, Udaipur.

The tenderer shall deposit (interest free) a sum, as above, towards Bid Security in the form of RTGS/ NEFT/ Demand Draft /Bankers Cheque/Bank Pay Orders payable to RSMML, Udaipur. Offers not accompanied with the requisite Bid Security will not be considered.

Tenderers shall deposit a sum Rs. 1,180/- towards tender document fees and Rs. 500/- towards processing fees by RTGS/NEFT/Demand Draft /Bankers Cheque/ Bank Pay Orders only to the office of Head (MM) within the specified date & time. The details of furnishing such financial instruments are elaborated in clause no. 1.0. Payments through Cash, Cheque or Bank Guarantee will not be accepted.

RTGS /NEFT details/Demand Draft/ Bankers Cheque/ Bank Pay Orders etc. for Bid Security, Tender Fees, Processing Fees should be submitted offline (personally /post/courier) to the office of Head (MM) before scheduled date & time as mentioned in tender document. Scanned copies of Demand Draft / Bankers Cheque/ Bank Pay Orders /RTGS/NEFT etc. should also be uploaded along with the online Bid. The tender document fees & processing fees are non-refundable.

## c) The Bid Security shall be forfeited in case of:

- i) If tenderer unsolicited revises and/or modifies and/or withdraw &/or cancel/amend the offer at its own after submission of tender during the validity period.
- ii) If it is established that tenderer has submitted any wrong information/forged document along with the tender or thereafter.
- iii) If the tenderer declines to accept contract/order placed by the Company subsequent to acceptance of his offer.
- iv) If the tenderer does not submit the security deposit cum performance guarantee.
- v) If the tenderer breaches any provision of code of integrity prescribed for bidder as detailed at Annexure –A.
- (d) The Bid Security furnished by the unsuccessful tenderers will be refunded after finalization of tender / validity of the offer has expired. Bid Security of successful tenderer will be refunded after receipt of Security Deposit cum performance guarantee.
- (e) The Bid Security of a tenderer lying with the company in respect of other tenders awaiting approval or rejected or on account of contract completed will not be adjusted towards bid security against this tender, however, the bid security

originally deposited may be taken into consideration in case tender is re-invited. However, tender document fees and processing fees have to be furnished afresh in case of re-tender.

### 9.0 CONSIGNEE:

#### Site Address-

The Head, Bajri Project, or his authorized officer. RSMML, Bajri Project. Plot no. BJ-04,BJ-05,BJ-06 near village Akola & Adsipur, Tehsil- Kotari/Sawaipur, Distt. Bhilwara (Rajasthan).

#### Office Address-

The Head, Bajri Project, RAJASTHAN STATE MINES & MINERALS LIMITED 4-Meera marg, Udaipur (Raj.)

### 10.0 EVALUATION CRITERIA:

The Techno-commercial suitability of the offers will be ascertained on the basis of documents submitted along with Part –I of the offer and/or the information gathered by the RSMML about the tenderer. The price offer of only techno-commercially qualified Tenderer(s) will be opened on a later date, which will be informed to qualified Tenderer(s) only . The decision of the Company shall be final and binding in this regard.

#### 11.0 RSMML's RIGHT:

RSMML reserves to exercise following rights at its sole discretion without assigning any reason thereof. The decision of the Company in this regard shall be final and binding.

- ii) to reject any or all the tenders received.
- iii) to accept a tender either for the total scope of work or part thereof & not to accept the lowest tenderer.
- iv) to accept/reject any tender on technical grounds based on RSMML requirement.
- v) to cancel the tender, postpone it for another date, change the venue of the receipt of the tender.
- vi) to increase/decrease the quantity as per work requirement at any time.

#### 12.0 INSPECTION:

- 1. RSMML shall have the right to inspect and/or to test the goods to confirm their conformity to the contract.
- 2. The inspection may be conducted at the premises of the tenderer. However, the final inspection shall be carried out at consignee's end after receipt of the material at site which will be final and binding to both parties. All reasonable facilities and assistance including access to technical data, drawings etc. shall be furnished by the tenderer to the inspector at no charge.



- 3. In case of rejection of any item, the same should be replaced, to meet specification requirements, by the tenderer at their own risk & cost.
- 4. RSMML's right to inspect, test and, where necessary, reject the items after the arrival at RSMML site shall in no way be limited or waived by reason of the items having previously been inspected, tested and passed by the RSMML or its representatives prior to the shipment of the goods.
- 5. The inspection/test reports shall in no way release the tenderer from any warrantee or other obligations under this contract.

# 13.0 RELAXATION IN TENDER DOCUMENT FEES, BID SECURITY & SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE:

- (A) Tenderers offering in capacity of micro, small and medium enterprises of the State of Rajasthan, having acknowledgement of Entrepreneurs Memorandum-II/Udyog Aadhaar Memorandum as mentioned in Micro, Small and Medium Enterprises Development Act, 2006, issued by the competent authority facilitated, on furnishing of a self-attested copy of acknowledgement of Entrepreneurs Memorandum-II/Udyog Aadhaar Memorandum, following relaxations will be provided if sought by the bidder along-with requisite documents
  - i) Tender document fees will be taken @50% of the prescribed total value of Tender document fees.
  - ii) Bid Security will be taken @25% of the total value of Bid Security. In case of offering the quantity lesser than the tendered quantity, then they can submit proportionate amount of bid security in proportion to the quantity being offered with respect to the bid security amount for tender quantity.
  - iii) Security Deposit will be taken @0.5% of the total value of order.
- (B) In case of participation by Undertakings, Corporations, Autonomous Bodies which are controlled and managed by Govt., Govt. Undertakings and Companies of Union Govt. & Govt. of Rajasthan, they are exempted from deposition of Bid Security. they are exempted from deposition of Bid Security & Security Deposit However; they have to give declaration as per Annexure-(X) & (XI).

Except above, no exemption in respect of Tender Document Fee, Bid Security & Security Deposit (Performance Security) will be given to any party on any grounds (except considered by management on the merit of the case ) and their offer will be liable for rejection.

# 14.0 PURCHASE PREFERENCE TO MSME FIRMS:

The purchase preference will be given to MSMEs firms of Rajasthan as per notifications issued by Finance Department, GoR. For availing the purchase preference, bidder has to furnish declaration/certificate as per Form-A & B annexed.

### 15.0 SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE:

- As security for the due, proper and faithful fulfillment of the obligations under the contract, the tenderer will furnish to RSMML Security Deposit cum Performance Guarantee equal to 5% of total value of contract in the form of Demand Draft/RTGS/NEFT or in the form of Bank Guarantee in RSMML Performa by public Sector Banks & Private Sector banks as per schedule II of the Reserve Bank of India Act, 1954 as per list enclosed at annexure-XII having its Branch at Jodhpur, within 21 days from the date of on the stamp paper of appropriate value. An undertaking as per annexure-XIII will also be submitted along with the B.G. The security deposit should be valid for a period of 6 months in excess of warranty period + work completion period.
  - ii) Security Deposit Cum Performance Guarantee" may also be furnished by the way of FDR in addition to existing methods mentioned in tender. FDR should be furnished as per provisions of RTPP Rule 75(3)(e), as below-
    - "Fixed Deposit Receipt (FDR) of a scheduled bank. It shall be in the name of procuring entity on account of bidder and discharged by the bidder in advance. The procuring entity shall ensure before accepting the Fixed Deposit Receipt that the bidder furnishes an undertaking from the bank to make payment/premature payment of the Fixed Deposit Receipt on demand to the procuring entity without requirement of consent of the bidder concerned. In the event of forfeiture of the performance security, the Fixed Deposit shall be forfeited along with interest earned on such Fixed Deposit".
  - iii) The BG shall liable to be invoked/amount of SD is liable to be forfeited wholly or partly at the sole discretion of the Company, should the supplier either fails to execute the work within the stipulated period or fails to fulfill the agreed obligations or fails to settle in full it's dues to the Company.
  - iv) The Company is empowered to recover from the S.D. any sum due and/or any other sum that may be fixed by the Company as being the amount or loss or losses or damages suffered by it due to un-satisfactorily performance or non-fulfillment of any of the conditions of the tender/contract.
  - v) The Bank Guarantee/S.D. shall remain in force and binding, notwithstanding, if any variation, alternation, modification is made to the contract or any extension of the contract period is granted by RSMML.
  - vi) RSMML shall not pay any interest on the Security Deposit. The security Deposit shall be released on application by the Supplier after the expiry of guarantees and after discharge of all the supplier's obligations under the contract.
  - vii) The said Security shall not in any way be construed as a limitation of the supplier's responsibility or liability pertaining to its obligations and guarantees under the contract and shall be without prejudice to any other remedies available to RSMML in terms of the contract and or as per the laws of the land.

- viii) Incase SD is being furnished in the form of Bank Guarantee; the BG should be furnished on the non-judicial stamp paper of the value equal to 0.25% (Zero Point Twenty Five Percent) of total Security Deposit amount subject to the maximum of Rs. 25000/- or as applicable at the time of submission of B.G.
  - ix) S.D. should be sent to the office of Head (MM), MM Dept. CO, Udaipur

# 16.0 EXCEPTION & DEVIATION/ ACCEPTANCE OF ALL THE TERMS & CONDITION OF TENDER:

Tenderers are advised to submit their offer based on terms & conditions and specifications contained in the tender document and not to stipulate any deviations. Offer containing stipulations of deviations to the terms & conditions are liable to be ignored. However, in case it is absolutely unavoidable to deviate from tender conditions then the tenderers should mention the deviations at their risk of rejection only in Annexure- IV. Deviations mentioned anywhere else in the offer shall be ignored without any consequences.

- i) Tenderer should mention the deviations, if any, at their own risk of rejection of their offer.
- ii) Deviations mentioned anywhere else in the offer shall be ignored without any consequences.
- iii) Tenders containing corrections and alterations are liable to be rejected unless all such corrections and alterations are legible, clear and signed by the tenderer. Tenders containing corrections and alterations are liable to be rejected unless all such corrections and alterations are signed by the tenderer.

### 17.0 PRICE:

- i) The firm & fixed price should be quoted on-line in Indian Currency strictly in Price Bid (BOQ) Cover C on f.o.r. destination basis.
- ii) Tenderer (s) should offer prices strictly in the BOQ uploaded on the site. They should first download the BOQ from the site on their system and after filling it, the same BOQ should be uploaded on the e-procurement portal.
- iii) Price will remain firm and fixed till the complete execution of the contract.
- iv) Please quote the duties and taxes as applicable on the date of submission of offer clearly and separately against each item. In the event of any increase/decrease in the Taxes & duties by the Government, the difference of the same shall be passed on to the tenderer/RSMML as the case may be. The increase shall be payable only on the production of authentic documentary proof by the tenderer.
- v) Save and except as aforesaid, the tenderer shall not be entitled to raise any claim and/or demand and/or any dispute on account of escalation or raise or increase in the prices of any other item or element.
- vi) Timely deposition of GST and filing of requisite tax returns of relevant tax period would be the sole responsibility of the contractor. The contractor will also ensure that necessary credit on this account is available to RSMML in the next month. In case of any discrepancy, where credit is not available to RSMML, then company is free to deduct/recover/retain such amount from the

- bills of contractor or any other amount due to him/or from security deposit, as the case may be.
- vii) In case of reversal of Input tax credit (ITC), imposition of penalty on account of payment of GST and default in filing of returns towards the payment for the work, contractor is liable to pay all such dues to the company, failing which RSMM is free to deduct/ recover/retain such amount from the bills of contractor or any other amount due to him/or from security deposit, as the case may be.
- viii) Further, the supplier shall submit an undertaking with bills bearing GSTIN and HSN/SAC Code that "total" GST has been deposited and returns have been filed for relevant tax period".
- ix) In addition, a general undertaking shall also be furnished by the bidder at the time of submission of bid that as on date, no default has been made by us towards payment of GST and all returns up to the last date of submission of bid have been filed by us."

### 18.0 DETERMINATION OF ECONOMIC BIDDER AND NEGOTIATIONS:

- a) For evaluation purpose, The best economic bidder shall be determined on the basis of total landed price including basic price, Erection & commissioning, transportation, insurance, all taxes & duties & any other delivery charges etc. upto destination (EXCEPT GST). However, best economic bidder may require to match/rationalize the prices of items where their prices are found to be higher than lowest price for such respective item.
  - b) RSMML reserves right to place order for all items to one bidder or to place order on item wise lowest basis.
  - c) In the event the company does not find the lowest quoted rate, acceptable to it, then the tender will be scrapped and may be re-invited, or company may take any other suitable action as deemed fit looking to the exigency of the work.

#### **NEGOTIATIONS:-**

- i) Negotiations may be conducted with the lowest tenderer only. In case of non-satisfactory achievement of rates from lowest tenderer, RSMML may choose to make a written counter offer to the lowest tenderer and if this is not accepted, RSMML may decide to reject and re-invite fresh tenders or to make the same counter-offer first to the second lowest tenderer, then to the third lowest tenderer and so on in the order of initial bidding, and work order be awarded to the tenderer who accepts the counter offer.
- ii) In the case, when the quotations given by the tenderer during negotiations is higher than the original quotation of the tenderer then the tenderer will be bound by the lower rate originally quoted by the tenderer.
- iii) In case of negotiations, representative of the tenderer attending negotiations must possess written authority from the tenderer to the effect that he is competent to modify/amend the submitted tender deviations and rates offered by them.
- iv) In case RSMML decides for parallel orders, then the negotiations will be held with L2 & other tenderers to match /rationalize the L1 price in order of their ranking.



#### 19.0 PARALLEL ORDERS:

In case RSMML opt for placing the purchase order to more than one tenderer, then initially L2 tenderer will be extended opportunity to match L1 rate after giving effect as per clause no. 18.0(a), on refusal by L2 tenderer, then to L3 tenderer & so on.

# 20.0 NO COMPENSATION FOR ALTERATION OF DELIVERY SCHEDULE OR SUSPENSION OF SUPPLIES:

If at any time before the commencement of the supply the Company, for any reason, whatsoever do not require the whole supply or part thereof as specified in the schedule of supplies, shall give notice in writing of the same to the supplier and the supplier shall neither be entitled to any compensation and/or damage of any kind whatsoever on account for loss or profit etc. nor the supplier be entitled to any claim or compensation for re-scheduling of delivery period.

#### 21.0 TERMS OF PAYMENT:

### i) For supply, erection & successful commissioning of Bunk House-

90% payment within 30 days from the date of completion of work i.e. supply, erection & successful commissioning of bunk house along with accessories at site. Balance 10% within 30 days thereafter.

ii) Billing & Paying Authority:

The bill in triplicate along with the supporting documents duly verified by the consignee will be submitted to The Office of Head (MM), CO, 4 – Meera Marg, Udaipur for payment purpose. The payment disbursing authority is-

The Financial Advisor,

Rajasthan State Mines & Minerals Ltd.

4, Meera Marg, Udaipur-313001

- iii) Payment will be made through NEFT/RTGS.
- iv) Payment will be made after deducting statuary taxes wherever applicable.

## 22.0 COMPENSATION FOR DELAYED DELIVERY:

In the event of the tenderer fails to supply, erection & Commission the Bunk House alongwith related work as per scope of work of tender within the scheduled work completion period as specified in PO or the stores are rejected, the Company shall be entitled at its option either:

- a) to recover from the supplier as agreed pre determined compensation @ 1/2% (Half percent) per day of the total value of work, subject to a maximum of 5% of the total value of work,
- b) either to purchase from elsewhere, without notice to the supplier at his risk and cost full or undelivered part, as the case may be

OR

c) to cancel the contract.



In case of b & c above, the Company will be empowered to purchase stores readily available with alternative source to meet the requirement irrespective of the fact whether these are similar or not.

### 23.0 ASSIGNMENT:

The contractor shall not sublet, transfer or assign this contract or any part thereof (or any benefit or interest therein and there under) without written consent of the company. But such consent of the company, if given shall not relieve the contractor from any liability or obligation under this contract and the contractor shall be responsible for all acts, defaults and neglects of the sub-contractor, his agents and employees fully as if those are the Contractor 's own acts.

### 24.0 INDEMNIFICATION:

Except where arising from the negligence of RSMML or RSMML's employees, the tenderer shall indemnify RSMML in respect of any costs or damages, whatsoever arising out of or related to breach of statutes, laws, acts, rules and regulations, damage, accident or loss etc. by the tenderer or tenderers personnel or by claims made against RSMML by third parties in respect thereof.

# 25.0 INDIAN / INTERNATIONAL STANDARD:

The offered specification by the tenderer should be based upon Indian standards or equivalent and where no Indian standards exist the supplies should conform to International standards. All electric installations, equipment shall have to conform to Indian Electricity Rules 1967 and as amended from time to time. The equipment covered by specification shall, unless otherwise specified be build to conform to the requirements of relevant standards issued by any of the following and the tenderer should specifically mention in each case the applicability of the relevant latest standard.

- Bureau of Indian Standard's Standard Codes and specifications 1. wherever applicable. (ISI) 2.
- Indian Electricity Rule 1956, wherever applicable.
- 3. British Standard Specification, relevant Code and British Electrical Standard
- American Society of Mechanical Engineer's Power Test Codes. 4.
- 5. American Society of Materials Testing Codes.
- American Standards Association/ USA Standards Institute and Edision 6 Electric Institute
- 7. Standard of Hydraulic Institute, USA
- Heat Exchanger manufacturer's Association, Standards, USA 8.
- Bleeder Heater Manufacturer's Association, Standards, USA. 9.
- Appropriate national Standard Specification of the country of manufacture on 10. approval by the purchaser.
- 11. Indian Boiler Regulation Act.
- 12. Indian Electricity Act. 1910.



**PATENTS:** Tenders shall warrant that all equipment or material furnished hereunder are and shall be free and clear of infringement of patent and copy right or trade mark prevalent, if any country.

# 27.0 COMPLIANCE OF RULES/GUIDELINES OF MINISTRY OF ENVIRONMENT AND CLIMATE CHANGE (MOEFCC).

The Bidder will ensure compliance of the rules / guidelines of Plastic Waste Management (Amendment) Rules, 2021 and its amendments from time to time as indicated in gazette notifications of the Ministry of Environment, Forest and Climate Change (MoEFCC), Government of India & Rajasthan State Pollution Control Board (RSPCB), wherever applicable.

### 28.0 TERMINATION:

- a) In case of failure to perform the job as required under this contract or observe breach of any of the terms and conditions by the tenderer, the company shall give a notice to rectify the default or breach within 10 days. Failure to rectify such default/ breach may result in termination of the contract and forfeiture of security deposit without any prejudice to the company's rights to claim damages/costs/loss etc caused by such default/breach. Such termination shall not absolve the tenderer of the liabilities accruing till the date of such termination.
- b) The contract may also be terminated in the event the tenderer is being adjudged insolvent or going into Liquidation or Winding up of their business, or making arrangement with their creditors.
- c) Notwithstanding anything contained herein above, the company in its absolute discretion may at any time terminate the order without assigning any reason thereof by giving Fifteen day's notice to the tenderer at their last notified address. In such an event the tenderer shall not be entitled to raise any claim or demand for compensation, loss of profit and/or damages and / or losses or costs by reason of such earlier termination on any ground whatsoever.

### 29.0 FORCE MAJEURE:

At any time, during the continuance of the contract, the performance in whole or in part by either party (sub-vendors excluded) and/ or obligations under this contract shall be prevented or delayed by reason of any war. Hostility acts of public enemy, civil commotion, sabotage, fires, floods, explosion, epidemics, quarantine restrictions, non-performance due to Acts of God or Acts of Government /statutory bodies (herein after referred as "Event") then provided a notice of the happening of any such event is given within seven days from the date of occurrence thereof neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damage against the other in respect of such non-performance or delay in performance and the deliveries and/or performance of the work under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist and decision of Company as to whether the deliveries and/or performance of the work have been so resumed or not shall be final and conclusive. Provided further that if the performance in whole or in part is delayed by reasons of any such events for a period exceeding thirty days either party may at its option terminate the contract.

### 30.0 JURISDICTION:

The contract is subject to the jurisdiction of courts at Udaipur only in the state of Rajasthan.

For RAJASTHAN STATE MINES & MINERALS LIMITED

(Dr. S S Daiya Head (MM

I/We have studied the Technical Specifications above terms and conditions stated in SCC & GCC and having understood fully. I/We shall abide by and adhere to the above terms and conditions.

Signature and Seal of the Tenderer

Place & Date:

# GENERAL PROFILE OF TENDERER

	Name & address of the tenderer with			
	The last of the la			
	Telephone No.,			
	Fax No.			
	e-mail address etc.			
	Mobile No.			
2	Date of establishment.			
3	Whether			
	Proprietor/Partnership/ Company.			
4	Name of Owner/Partners/			
	Directors with full address.			
5	Name of the Manufacturer			
	/supplier of offered Products.			
6	Status of Bidder	·		
7	Annual turnovers in rupees for	2022-23	2023-24	2024-25
	last three years.			
8	PAN No.			
9	GST No.			
10	Entropyerous Management			
10	Entrepreneurs Memorandum no. as per MSMED Act 2006			
	Nature of Activity			
	(manufacturing/Service)			
	Category of Enterprise: (Micro/ Small/ Medium)			
		•		

11	Banker details for payment	
	purpose:	
	<b>a)</b> Name	
	<b>b)</b> Branch No.	
	<b>c)</b> Address	
-	Bank Account No.	
	Type of A/c : Saving / Current/CC/ any other	
	IFSC code	:
12	Offered work completion period as per clause no. 4.0 of tender	
13	Details of the offices from where after sales services will be provided by the manufacturer / bidder at site preferable from Bhilwara.	

Signature of tenderer with official stamp

Date & Place:



### Annexure-II

# e-TENDER NO. RSMM /CO/MM/NIT-03/2025-26

# UNDERTAKING TOWARDS NON-SUSPENSION/NON-BANNING & GST

(To be submitted along-with part – I of the offer)

	Name of the Tenderer:
	the three effects of the first production of the contract of t
i)	We hereby declare that we have not been banned/suspended or de-listed by RSMML in past and as per point no. h of Annexure-A.
ii)	We undertake that "as on date, no default has been made by us towards payment of GST and all returns up to the last date of submission of bid have been filed by us."
	Signature of Tenderer with official stamp
Pl	ace:
Da	ate:



# REGISTRATION DETAILS AS PER MICRO, SMALL & MEDIUM ENTERPRISES DEVELOPMENT act, 2006.

1.	Whether the tenderer is registered under Micro, Small & Medium Enterprises Development Act, 2006(Yes/NO)
2.	If yes, please furnish the declaration given below at point no.
3.	We (Name of Tenderer
4.	Enclose attested copy of registration certificate.
	Signature of tenderer with official stamp
Date: Place:	



# UNDERTAKING TOWARDS ACCEPTANCE OF ALL TERMS & CONDITIONS OF TENDER

We confirm that all the terms & conditions of tender is acceptable to us

Name of Tenderer\_\_\_\_

except the following.

to the deviations in the below format & furnish it blank then it will be presumed that the tenderer is not offering/ putting any deviations to the tender terms &	(	Tendere conside	Cenderer may stipulate here exceptions and deviations to the tender conditions, if considered unavoidable. In case the tenderer does not mention any information							
that the tenderer is not offering/ putting any deviations to the tender terms & condition. Tenderer should mention the deviations, if any, at their own risk of rejection of their offer.  S.N. Tender Requirement as per Offered condition/ Deviation		to the c	leviations in t	the below forma	e tenue it & fur	nis	sh it blank then it will be presumed	1		
condition. Tenderer should mention the deviations, if any, at their own risk of rejection of their offer.  S.N. Tender Requirement as per Offered condition/ Deviation	1	that the	e tenderer is	not offering/	outting	an	v deviations to the tender terms &	J		
rejection of their offer.  S.N. Tender Requirement as per Offered condition/ Deviation	(	conditio	on. Tenderer	should mention	n the d	levi	ations, if any, at their own risk o	f		
per   Cherca condition, Deviation	]	rejectio	n of their offe	r.			, J	-		
Clause no. tender clause		S.N.	Tender		as p	er	Offered condition/ Deviation	1		
			Clause no.	tender clause						
								ĺ		
				·						
			-				•			
				•						
		·								

**Note:** Deviation to the tender terms, if any, mentioned anywhere else (i.e. in any other document / place will not be considered & accepted. RSMML will not entertain any claim of the tenderer on offered deviations mentioned anywhere

Company may accept or not to accept the deviations put by the tenderer at its

sole discretion. No claim on this will be entertained.

else.

Signature of tenderer with official stamp

Date & Place:



### DETAILS OF TAXES & DUTIES OFFERED IN PRICE BID

Name of Tenderer		

Particulars	% Rate considered in price bid
CGST	@%
SGST	@%
IGST	@% ;

Signature of tenderer with official stamp

Date: Place:



# Check-list to technical specifications of Bunk House

Description	Agreed/Deviation, if any. Please tick against each column towards acceptance
1. SCOPE, APPLICATION & QUANTITY:	·
The specification covers minimum technical requirement for procurement of following types of skid mounted portable bunk Houses meant for site office.	
Bunk House Quantity- 2 sets.	
2. GENERAL FEATURES:	
i. Size of bunk house (site office) shall be 20 feet x 10 feet. ii. Size of toilet shall be 6 feet x 4feet (separate). iii. The Bunk House units shall be new, unused, not refurbished & of recent manufacturing. iv. The Bunk House shall be environment friendly, comfortably designed with adequate ventilation and hygienic for use of personnel. All applicable safety & statutory regulations/guidelines must be incorporated while designing, fabricating/manufacturing & supply. v. The Bunk House shall be designed & developed to meet the requirement of remote, rugged, difficult terrain & isolated sites with extreme tropical weather conditions and it should provide comfort along with efficient functional facilities. vi. The bunk house shall be easily transportable in difficult terrain, from one site to another, easily placed and connect	
power ready for use. It should be suitable for lifting by means of cranes and movement of trailers. Lifting Hooks, frames etc.	
are to be provided accordingly.  vii.Manufacturer shall specify and provide one set of standard tools for operation and maintenance of bunk house.  viii.Bidder to submit detailed layout drawings along with bill of material including the make & Model, based on the specified parameters/makes/brands for the intended service/application/function for approval of the EIC along with catalogues alonwgith offer.	
ix.EIC shall provide commissioning certificate of the complete unit.	
x.The bunk house shall be equipped with required fans (2 or more as per requirement), LED tube-lights, exhaust fans, adequate switches, electrical panels, fire extinguishers etc.	

- xi.The inner panel wall of Bunk house should be equipped with screen hanging system (suitable for 55 inches screen) with required electrical, internet and power connections, to be used as monitoring & control system of CCTV Cameras.
- xii.Connectivity provision for public announcement system to be provided.
- xiii. 04 executive Tables, 04 work station, 12 nos. of staff chairs (revolving) of Godrej make shall be provided with the bunk houses, details are as below.
  - \*Godrej make make executive Tables, Model- Godrej Stylo Table (size in mm-1200W\*600D\*750H) 4 nos.
  - \*Godrej make Work Station, Model- Godrej work 5026 (size in mm-1500W\*750D\*740H) -4 nos.
  - \*Godrej make Chair, Model- Godrej Greta 2.0 High Back Chair 4 nos.
  - \*Godrej make Chair, Model- Godrej Oxbo Mid back Chair 8 nos.

Price for these furniture is to be quoted separately in price bid. RSMML may or may not purchase the bunk house with these furniture.

- xiv.All door, windows, ventilation & Air-conditioner openings shall be provided with collapsible weather shed (easily closed/folded during transportation).
- xv.Power points shall be located to take care of electronic gadgets possessed by office staff such as laptop, mobile charger, printer connection etc.

### 3. TECHNICAL FEATURES:

### i. CODES & STANDARDS:

The unit shall be designed, constructed and tested as per standard manufacturing practices, compatible with specified operating conditions & parameters and shall be suitable for the intended service.

### ii. FUNCTIONAL PARAMETERS:

The bunk house shall be equipped with energy efficient (BEE rating appliances, wherever applicable) electrical equipment like AC, Wall/Ceiling fans, Exhaust Fans, lights, wherever applicable.

The Transportation of Bunk House to be done through proper transporting vehicle to facilitate transportation and handling, subject to RTO guidelines.

The bunk house shall be designed for a life of about 15 years.

The bunk House shall have absolute rigidity and strength withstand all stresses, strains and vibration arising from

rough handling, transportation and transit. It shall also have the capability to protect the internal fittings and their fixtures.

Materials, fitting and fixtures used in bunk House should be easily available in the market. Supplier must give instruction manuals and recommended stock of **buffer spare parts** (for at least one year). Bidder shall ensure service centre for brought out items(s) must be available at **Rajasthan State preferable at Bhilwara or nearby**.

All safety & Statutory regulations/guidelines must be incorporated while designing, fabricating/manufacturing & supply.

The bunk House should be capable of being handled without any strain and damage under the following conditions:

- Lifting of bunk House by using slings and shackles directly from top corner lifting lug.
- Lifting and winching by attaching suitable shackle to the skid.

The bunk house unit shall be suitable for use with minimum & maximum ambient temperature of **-6 oC to 55 oC** and relative humidity up to 95%.

The bunk house shall have one input power supply provision to connect with output electric supply.

Supplier will supply & install two inverters of Su-kam/Luminous/Microtek/Exide/Amron/APC Make of 1250 VA along with 200 AH battery. Battery should be fully maintenance free having warrantee period of 3 years. Supplier will provide warrantee card of Inverter & battery along with supply. Bunk house shall also be provided with suitable change over switch for DG set/Company power/RSEB power.

Supplier will supply & install two new DG sets of 10 KVA rating with Auto panel of Kirlosker/Mahindra/CG/Cummins make. Supplier will provide warrantee card of DG set along with supply.

Price for Inverters and DG sets is to be quoted separately in price bid. RSMML may or may not purchase the bunk house with Inverter & DG set.

### iii. FIXED/VARIABLE PARAMETERS:

The bunk house shall be as per design compatible for the specified payload & specified conditions, intended services and RTO guidelines for transportation wherever applicable.

Overall Dimension of bunk house site office:  $20' \times 10' \times 8'$  (LXBXH) excluding Skid Beam.

Overall Dimension of toilet:  $6' \times 4' \times 8'$  (LXBXH) excluding Skid Beam having adequate water supply arrangement.

#### iv. CONSTRUCTIONAL FEATURES & PAINTING

#### a. Construction:

The Bunk house shall be designed & developed with highest structural stability, water proof, weather proof, termite proof, fire resistant materials & capable of self-stability & withstanding adverse weather & storm conditions for the intended service.

b. **Welding:** All the frame members and load bearing members of the Shell of the bunk house are welded construction. The welding is to be carried out by MIG process using CO2 as Argon shielding gas/ARC welding. All the external welding should be continuous, uniform and of full penetration.

### c. Main Shell:

The cage structure, main bottom base frame and wall panels are constructed/fabricated out of MS frame work of IS  $100 \times 50 \times 3.7$  MM conforming to IS, bottom frame of 125x65x3.7 mm confirming to IS, bottom Skid Square hollow Pipes  $80 \times 40 \times 3$  MM conforming to IS and MS Pipes of 80 MM diameter conforming to IS.

The exterior cladding of the shell shall be vertically corrugated M S Sheet (Atmospheric corrosion resistant steel) 1.6 MM thick conforming to IS: 1079 or IS 513 or corrugated M S Sheet made with Corten - A sheet (Atmospheric corrosion resistant steel) or corrugated M S Sheet 1.6 MM thick (Atmospheric corrosion resistant steel) conforming to IRSM 41-97 and shall be welded with MIG process using CO2 as Argon shielding gas /ARC welding to the bottom MS Channel frame, Top Frame and Roof Frame.

The inner wall is covered with decorative exterior grade laminated board 12 MM thick or Aluminium composite panels 4.0 MM thick pre-laminated particle board 9.00 MM thick conforming to IS: 12823 or 9.0 MM thick BWR marine plywood conforming to IS: 710.

Light weight insulation is filled in between the exterior and interior block wall/cavity wall.

All the four corners vertical support posts shall be fabricated press component of 4 MM MS plate and all the corner posts shall be suitably welded at the top with ISO 1161 (Series 1) Corner Casting/MS plate 12 mm to hold steel forged lifting hooks or

corner casing mechanism (as available in marine freight containers) with 50 MM holes.

All the inter connecting cross members shall also be of steel channels duly welded throughout its length & width and conveniently equally spaced continuously welded to the bottom frame.

### d. Flooring:

The floor panels shall be of 18 MM thick chequered marine plywood conforming to IS which is water proof, termite proof fixed with self-tapping screws to the base frame of 2x2 ft. Grid framing of 80x40 mm hollow pipe (2mm). The bottom shall be sealed with caulking compound and painted with bituminous paint. The inside top layer of the floor is covered with tough & scratchproof, rugged, easy to mop, 2.0 mm roll type PVC flooring of pale yellow shade of good quality as per manufacturer specification.

### e. Side & End Walls:

The side & end walls shall be provided with cut out and work shall be made of MS pressed sections/vertically rectangular square tubes of 75 x 40 mm spaced at the intervals and connected together by horizontal pressed steel C sections to reverse as cross members to ensure complete rigidity to the entire structure, for windows, doors and weather tight cut outs for AC. All gaps shall be duly sealed at edges and seams to prevent ingress of rats, moisture etc. The exterior cladding of the shell shall be vertically corrugated M S Sheet (Atmospheric corrosion resistant steel) 1.60 MM thick or corrugated M S Sheet made with Corten - A sheet (Atmospheric corrosion resistant steel) or corrugated M S Sheet 1.6 MM thick (Atmospheric corrosion resistant steel) conforming to IRSM 41-97 and shall be welded with MIG process using CO2 as Argon shielding gas / ARC welding to the bottom MS Channel frame, Top Frame and Roof Frame.

### f. Roof:

The curved roof sloping type towards the walls, 70 to 80 MM high at the centre for efficient drain of rain water and to avoid collection of dust, leaves etc. The roof (Self draining type) of the shell is made out of deep drawn corrugated steel sheets of minimum 1.6 mm thick. The roof panels will have a 6.9 mm positive camber at the centre to drain out the rain water. For the side walls, end walls, and the roof panels are butt welded for individual subassemblies and continuously welded to the frame members.

### g. Weather Shed/Sun Shed:

All door, windows, ventilation & Air-conditioner openings shall be provided with collapsible weather shed (easily closed/folded during transportation) with MS Sheet 18 SWG.

- h. **Insulation**: The side walls & end walls shall be insulated with CAST-IN-SITU 50 mm thick Poly Urethane Foam (PUF) / Rockwool and roof with 50 mm thick PUF/ Rockwool. The insulation material shall have density in the range of 30 to 32 kg/cum and the material shall have thermal conductivity of 0.017 w/mk. The overall heat transfer coefficient of the shelter after the insulation and furnishing shall not be more than 0.7. This insulation shall be rat proof, fire retardant, no hygroscopic and vermin proof besides having excellent thermal efficiency and acoustic performance. The material used should be fit to provide adequate insulation for the air conditioning exposed to an outside temperature of 45-48 °C for most part of the day.
- i. **Inner Panelling:** The interior shall be aesthetically finished to give a pleasant appearance with high quality workmanship.
  - 1. The internal panelling (inside walls & roof) shall consist of decorative exterior grade laminated board 12 MM thick or Aluminium composite panels 4.0 MM thick pre-laminated particle board 9.00 MM thick conforming to IS: 12823 or 9.0 MM thick BWR marine plywood conforming to IS: 710, water proof & Termite Proof, BIS marked & approved make, colour and design (Laminated sheet should be make of Formica/Suntee/Bake light only).
  - 2. These shall be screwed/riveted on the side walls on the internal 'Z' sections/Angle frame/SquareTubes work.
  - 3. All vertical and horizontal corners and boards joints shall be neatly finished with aluminium anodized heavy gauge angles and flats.
  - 4. The vertical joints of the panel shall be fixed with decorative PVC beadings to match the colour of the panels.
  - 5. The ceiling of the roof shall be suspended from inside on suitable Z section/angle frame/Square Tubes work.

### j. Main Doors:

1. Doors shall be water proof double skin MS Door in 1.6mm Cold Role Iron Sheet covered with 3.5mm Aluminum Composite Panel / stainless steel or flush mounted double skin marine waterproof ply wood (of Marine grade) both sides laminated construction from high grade 3.2 mm thick steel frame work and shall be insulated with glass wool of minimum 40 mm thickness

for eliminating heat transmission and shock. The external side shall be fully clad with 1.6 mm Steel/ Aluminium Sheets or laminated sheet with 2 vertical corrugations and the internal side shall be with plywood hot pressed and phenol bonded with decorative laminated sheets similar to interior panel finish.


- 2. The door shall open from outside and shall be fixed with Heavy Duty Hydraulic door closer. Corrosion proof rubber gasket packing all around door frame for complete weather proof ness shall be provided.
- 3. The door shall be provided with heavy gauge brass/steel container type plane hinges on Bush and bearing arrangement, superior quality Padlocks, tower bolts, handle grips. Manually operating type locking arrangements from internal and external sides along with locks of Godrej/Harrison/Link make should be provided. The heavy duty hinges should be strong enough to withstand the load of door during its operation in high wind/ stormy conditions. The shell structure should be rigid enough to withstand rough handling rigorous transportation hazards etc. and able to withstand flexing/distortion even when placed on uneven ground.

### k. Windows & Ventilators:

1. Windows: 3/4 sliding windows of size 3' x 4' for proper ventilation will be provided in the bunk house.

Windows shall be made from three track high quality Aluminium anodized powder coated extruded architectural grade 18 SWG and shall be of sliding type fitted with 5 to 6 mm shatter proof safety clear glasses i.e. toughened reflective glasses (Saint Gobain /Modi/Tata/Asahi Float make). SS fly & mosquito proof stainless steel rust proof mesh shall be provided on third track frame of the sliding window. All window panes shall be provided with locking arrangements and window cut with steel or aluminium collapsible weather sheets which when folded shall completely close the windows. All windows shall have rubber/neoprene/nylon sealing to ensure complete insulation and should be leak proof. Hinged Iron grills of 5 mm MS rods shall also be provided in the windows for safety purposes. Width of track-18mm.

2. **Ventilators:** Ventilators shall be of louvered type. SS fly & mosquito proof stainless steel mesh shall be fitted on the ventilator. All ventilators shall be provided with steel or aluminium collapsible weather sheds with locking arrangements which when folded shall completely close the ventilator.



### l. Electrical Fittings/Switch Boards:

All components are pre-wired for electrical fittings and air conditioning.

- i. All electrical fittings in the bunk house shall be 220 240V AC, 50 Hz with provision of neutral. All wirings (conforming to IS: 732) shall be of concealed type & PVC insulated copper wire 1.5 sq. mm size multi strand wires shall be used in circuits for lights, fans & sockets, 2.5 or 4 sq. mm size wire shall be used in all AC circuits and 10 or 16 sq. mm size wire shall be used for main incoming.
- ii. **PVC/Reinforced** Steel Flexible Tubing / Conduits in capping casing format.
- iii. Necessary Weather-proof Junction box of 63 Amps rating with MCB's, ELCB's etc. shall be provided for feeding power supply from external source.
- iv. **Earthing:** Earthing provisions for all electrical accessories/appliances/equipment and gadgets to be provided. Continuous earth wires shall be provided throughout the circuit and for earthing of complete bunk house cage. 2 Nos. external earth terminals (one each to be located at diagonally opposite side to each other) shall also be provided conforming to IS: 3043.
- v. The switch boards shall be of modern style and design to match with the elegant looks of the interiors i.e. modular design. Power points shall be located to take care of electronic gadgets possessed by crew members such as laptop, mobile charger, mosquito repellent, music system etc.
- vi. The incoming power for bunkhouse should be supplied from changeover panel located outside. The internal wiring for the bunkhouse should include 63 AMPS 3 phase connector (Plug Socket) with HRC fuse, RCCB with 30 MA sensitivity should be provided for incoming power. For connecting power supply to bunk house, 5 pin input industrial socket with a capacity of minimum 63 AMPS. Wherever required higher capacity input socket should be provided to cater to higher loads requirements. The input socket should be mounted on to the right top corner with metallic casing fitted outside to protect it from rain/ dust etc. One separate input socket excluding AC connection to be provided to use them in emergency when voltage is very low. As a measure of safety continuous 14 G copper earth wires should be provided as necessary. For lighting circuit 3/1.09 cable and for heavy duty circuit 7/1.22 cable should be used. All electrical fittings like cabin fan, decorative twin 4-feet tube fittings, night lamp and external flush type tube fittings with acrylic cover should be of GE/ MDS/ Havells / Siemens/ CG/Krupp/ Philips only. Each housing container module should be provided with 1



No each Earth Leakage Circuit Breaker (ELCB) of English Electric / Hager/ standard /MDS make as a measure of safety of suitable incoming ratings and sensitivity provided on incoming D B Side.

Provision to be made for isolation of AC circuit vii. during emergency. All electrical item used in bunk house should have ISI certificate. All cables used within the bunk house should have fire retardant certificates. All finished electrical circuit have to be pre-tested prior to delivery for effectiveness as well as safety.

viii. Electrical power sockets/ switches shall be placed so that they are easily accessible and as per industry standard.

### m. Equipment/Appliances/Accessories:

Air conditioner: The Bunk Houses shall be provided with two nos. Split ACs, 5 star rating, 2T capacity Invertor technology (Hitachi/Carrier/O-General/Daikin/Mitsubishi makes) with suitable stabilizer. Outdoor unit shall be in a cover box and sheltered in a recessed cut-out in the bunk house accessible from outside for ease maintenance. The indoor unit shall be high wall mounted inside the bunk house. All piping & wiring of spit AC should be concealed. Provision to keep voltage stabilizers suitably should also be provided. It is not necessary to remove the AC Units or lash it during transportation.

> Air Conditioner warranty on whole equipment.- 1 year. Warranty of Compressor & PCB of Air Conditioners - Min 5 year warranty.

### Price for AC is to be quoted separately in price bid. RSMML may or may not purchase the bunk house with AC.

ii. Wall/Ceiling fans, Pedestal Fans, Exhaust Fans: As per the requirement.

# n. Internet Connectivity Cabling (Wherever applicable):

The bunk house shall have inbuilt provision for internet & Telephone connectivity cabling & fittings inside the office cabin. Internet Connectivity Cabling (Wherever applicable) shall be provided at the each office desk/work station.

PAS (Wherever applicable): Connectivity provision for public announcement system to be provided.

AC, Voltage stabilizers, Inverter etc. are to be kept in boxed bracket frame suitably to avoid these appliances/equipment from any type of damage during transportation of bunk house as these are not to be removed or lashed during transportation.



i.

ii.

- iii. Proper channel & pipe for drainage of rain water from the roof to be provided.
- iv. All screws, nuts, fasteners, washers and bolts shall be of SS 304 or higher grade stainless steel in order to be rust free and to avoid losing the grip before the life of the bunk house panelling.
- v. Dual band wi-fi excess point having 4G SIM slot to be provided.

### o. Painting

- a. All components shall be coated with primer with desired specifications before assembly. The surface preparation of all fabricated steel components shall be done by manual grit/sand blasting to achieve Swedish standards SA-2 quality finish. The surface preparation for all steel surfaces shall also be pre-treated with anticorrosive chemicals including degreasing with appropriate solvent, derusting and phosphating. The bunk house unit components shall be additionally quoted with red-oxide, zinc chromate, primer. The external surfaces shall be initially painted with corrosion resistant rubber chlorinated marine paint/precolour coated metal panels. Fine quality decorative paint shall be applied in final stage.
- b. The shot blasted cleaned steel surface shall be painted with 3 coat system using Zinc Rich Epoxy Primer, High build Epoxy Polyamide and external top coat with Chlorinated Rubber Enamel/Polyurethane paint of fine quality decorated as per the following scheme using airless spray painting process:

SCHEME	INTERIOR	EXTERIOR	UNDER
			STRUC TURE
Primer Coat	Zinc Rich Epoxy Primer 15- 20 microns	Zinc Rich Epoxy Primer 15-20 microns	Zinc Rich Epoxy Primer 15-20 microns
Intermediate	Epoxy	Ероху	
Coat	Polyamide 60 microns	Polyamide 60 microns	<del>-</del>
	OUTHICIONS	Chlorinated	
Top Coat	e de la companya de l	Rubber Enamel/	Bitumin
		Polyurethane	ous
		paint 50	paint
		microns	1 1 1 1 1 1 1 1 1

- c. Make: Asian/Nerolac/Berger/Dulux (ICI) make
- d. Colour: External colour shall be IVORY shed.
- e. The total dry film thickness should not be less than 115 microns on the exterior surfaces and 75 microns on the interior surface.

### p. Toilet

Toilet of 6' x 4' x 8' (LXBXH) size with proper waste disposal arrangement will be provided which will contain 1 WC + 1 wash basin + 1 urinal. Suitable over head tank of 1000 Ltrs will also be provided. Proper exhaust and fan facility will be provided.

### 4.0 MATERIAL:

Bidder to ensure that material of construction offered for different components of bunk House shall have resistance to corrosion, algae & seepages and shall be compatible with specified conditions & parameters and shall be suitable for the intended service, except as required or prohibited by the data sheet/Indentor.

All Wooden material shall be of water proof, white ant & termite proof and will be able to withstand extreme climatic conditions.

All castings shall be sound, free of shrunk/blowholes, cracks & scale blisters.

### 5.0 NAME PLATE- DETAILS:

The following information shall be fixed through a name plate securely fastened on the bunk house, shall be provided:

- 1. RSMML name & Logo
- 2. Name of Unit

### 6.0 INSPECTION & TESTING:

Inspection/testing shall be carried out in conformance to the various parameters of the specification, by RSMML's officer at site.

### 7.0 MISCELLENEOUS:

### LITERATURE, MANUAL, DRAWINGS ETC

Dimensional and lay out drawings of the bunk house -Two sets with bunkhouse.

Foundation Structure: The vendor shall provide drawings & details of foundation structure, for placement of the bunk House.

Operational Manual, service manual, spare parts/Bought out items catalogue indicating part number for all assemblies/sub-assemblies/bought out items – one set with each respective bunk house.

#### 8.0 WARRANTEE & GUARANTEE:

A warrantee/ Guarantee for the complete bunk house shall be for a period of 12 months from date of successful acceptance/ commissioning for all bunk houses for material used, workmanship, internal wiring, internal paneling and painting shall be provided.

Warranty certificate of all bought out items like electrical fittings, furniture, other bought out items shall be provided to RSMML in original.

### 9.0 AFTER SALES & SERVICE SPARES:

Supplier specify address of to name & vendors/manufacturers, of bought in case out assemblies/sub- assemblies and their commitment on their behalf, for supply of spares parts for the design life of the bunkhouse.

#### 10.00 MANUFACTURING TEST CERTIFICATES

Manufacturer to provide a certificate that the bunk house have been designed, manufactured & tested to meet the specified requirement.

- **11.0 PACKING:** All openings shall be properly blocked to avoid entry of any foreign particle.
- **12.0** Bidder will supply the items with the OEM warranty as shown in adjacent column. The details of items are mentioned in the tender document.
- i) DG set Min. 1 year warranty.
  Please specify the offered warranty- ......
- ii) Inverter 1 year warranty.

  Please specify the offered warranty-.....
- iii) Maintenance Free Battery for Inverter 3 years replacement warranty.

  Please specify the offered warranty-.....
- iv) Air Conditioner 1 year warranty on whole equipment.

  Please specify the offered warranty- ......
- v) Reputed make Stabilizer with Air Conditioner Min 1 year warranty. Please specify the offered warranty- ......
- vi) Compressor & PCB of Air Conditioners Min 5 year warranty. Please specify the offered warranty- ......
- vii) Reputed make LED Tube-lights Min 1 year warranty.

  Please specify the offered warranty- ......
- viii) Reputed make Ceiling Fans Min 1 year warranty.

  Please specify the offered warranty- ......
- ix) Fire extinguishers Min 1 year warranty.

  Please specify the offered warranty- ......

### Note-

- i) Tenderers are requested to choose the make of above items preferable of OEM whose service centre is at Bhilwara or at nearby area.
- ii) Tenderer will provide copies of supporting documents of the above items for taking up warranty related issues with respective OEMs.

Signature of Tenderer with official stamp

Place & Date:



### **DETAILS OF PAST EXPERIENCE**

Purchaser's Name &	Order No. &	Size of Con. Belt	Quantity
Address	Date		
	Purchaser's Name & Address		

Note: Enclose Scanned order copies & supporting documents.

Signature with Office Seal of the Tenderer

Date

Place



### **DECLARATION BY TENDERER**

I/We declare that I am/ We are manufacturer /Distributor/ Fabricator in the goods/stores/equipments for which I/We have tendered.

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our bid security/security deposit may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature	of	tenderer	with	official	stam	р
-----------	----	----------	------	----------	------	---

Date:

Place:


**Note:** Tenderer are requested to attached documentary proof towards their status.

### PROFORMA OF GUARANTEE BOND FOR SECURITY DEPOSIT

(To be issued by public Sector Banks & Private Sector banks as per schedule II of the Reserve Bank of India Act, 1954 as per list enclosed at annexure-XIII having its Branch office at Udaipur on the non-judicial stamp paper of value equal to @ 0.25% (zero-point twenty five percent) of the total Security Deposit Amount subject to maximum of Rs. 25000/- or as applicable at the time of submission of BG.

maximum of Rs. 25000/- or as applied	cable at the time	of submission of	of BG.
B.G	Dated		
Contact details of issuing Banker:			
Postal Address:-			
• Fostal Address:- • Telephone Nos.:-			
• rax No			
• e-mail Address:-			
• Contact person e-mail:-			
Contact details of Banker's branch	at Udaipur:		
Postal Address:-			
• Telephone Nos.:-			
• Fax No.:-	•		
• e-mail Address:-			
• Contact person e-mail:-			
· ·			
This Deed of Guarantee executed	d between		
Nationalized / Scheduled Bank,			t (mention
complete postal address with cont			
its Head office at (mention comple			
address etc.)			
include its successors and assignee	s (hereinafter ca	lled the Surety	/Bank) ANI
Rajasthan State Mines and Minera			
registered under Indian companies			
89/90 Lal Kothi Scheme, Janpath, J			
Udaipur and wherever its context			
assignees(hereinafter called 'the com	_	crades its sac-	cessors arr
Whereas the Company having ag		M/s	,
company/partnership firm	laddres	ss of registered.	/H O ) wher
ever the context so require includes	(addres	and assignees	(hereinafte
called 'the Contractor/supplier/RC			
and conditions of Letter of Accepta			
-			
dated Contractor/supplier/RC holder, l	souct	ed 'the said	Tetter o
Acceptance/ Purchase Order/ Rat	to Contract' wh	ioh everession	chall ala
include any amendment, modification			
with the provision thereof, of cash se			
•	2 1		
said Letter of Acceptance/ Purchas		· -	, -
unconditional and irrevocable B			( Rs
being equiva	ment to	% of Co	ntract valu
of Rs  Now this deed witnesseth that in co	on of all our officers of C		
NOW THIS GEED WITHESSETH THAT IN CO	misideration of s	au nank navin	io aoreed of

the request of the Contractor/supplier/RC holder to stand as surety for



In order to give full effect to the guarantee herein contained the company shall be entitled to act as if, we(bank) are your principal debtor in respect of all your claims against the Contractor/supplier/RC holder hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of surety-ship and other rights, if any which are in any way inconsistent and/or contrary to the above or any other provision of this guarantee, the bank's guarantee to pay hereunder will not be determined or affected by your proceeding against the Contractor/supplier/RC holder and the bank will be liable to pay the said sum as and when demanded by you merely on first demand being made on the bank by you and even before any legal or other proceedings taken against the contractor/supplier/RC holder. Any letter of demand delivered at the bank's branch/divisional above office , or Udaipur branch office (specify

name & address) under the signatures of the company's Financial Advisor/

(bank) further agree that the company shall have the fullest liberty without our consent and without affecting in any manner our obligation hereunder to vary any of the terms and conditions of the said Letter of Acceptance/ Purchase Order/ Rate Contract or to extend time of performance by the said Contractor/supplier/RC holder from time to time or to postpone for any time or from time to time any of the powers exercisable by the Company against the said Contractor/supplier/RC holder and to forbear or enforce any of the terms and conditions relating to the Letter of Acceptance/ Purchase Order/ Rate Contract and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said contractor/supplier/RC holder or for any fore bearance act, or omissions on the part of the company or any indulgence of the Company to the said Contractor/supplier/RC holder or by any such matter or things whatsoever which under the law relating to the sureties would but for this provisions have effect of so relieving us. This guarantee herein contained would come into force from the date of issue and would not be affected by any change in the constitution of the contractor/supplier/RC holder or ourselves or liquidation or winding up or dissolution or insolvency of the contractor/supplier/RC holder nor shall it be affected by any change in company's constitution or by any amalgamation or any absorption thereof or therewith but shall ensure for and be available to and enforceable by absorbing or amalgamated company or concern till the payment or amount not exceeding Rs. \_\_\_\_\_\_ is made by the Bank. The guarantee will not be discharged or affected if the Company holds/obtain any other security/guarantee/promissory note from any person and/or the contractor/supplier/RC holder and this guarantee shall be in addition to any such guarantees. \_\_\_\_\_(Bank) lastly undertake not to revoke this guarantee during this currency except with the previous consent of the company in writing. The bank has power to issue this guarantee in favour of the Company and the undersigned has full powers to do so under power of Attorney dated granted to him by the bank. For the purpose of enforcing legal rights in respect of this guarantee Udaipur courts in the state of Rajasthan alone shall have jurisdiction. IN WITNESSETH I. HEREBY SON OF (branch) constituted attorney of the said (designation) bank have set my signatures and bank seal on this guarantee which is being issued on non-judicial stamp of proper value as per Stamp Act prevailing in the executed state of this the day of 2025.

Group General Manager/ General Manager or any of the Directors shall deemed

to be sufficient demand under this guarantee.

# FORM OF BID-SECURING DECLARATION [Applicable only for the bidders fall in the category of bidders as per clause no. 13.0 (B) of tender

( To be typed on non judicial stamp paper of valuing Rs. 50/-)

Date:
Bid No.:
Alternative No.:
To:
We, the undersigned, declare that:
We understand that, according to your conditions, bids must be supported by a
Bid-Securing Declaration.
We accept that we are required to pay the bid security amount specified in the Term and Condition of Bid,
In the following cases, namely:-
(a) when we withdraw or modify our bid after opening of bids;
(b) when we do not execute the agreement, if any, after placement of supply/work order within the Specified period;
(c) when we fail to commence the supply of the goods or service or execute work as per supply/work Order within the time specified;
(d) when we do not deposit the performance security within specified period after the supply/work Order is placed; and
(e) if we breach any provision of code of integrity prescribed for bidding specified
in the Act and Chapter VI of these rules.
In addition to above, the State Government shall debar us from participating in any
procurement process Undertaken for a period not exceeding three years in case
where the entire bid security or any part thereof is required to be forfeited by
procuring entity.
We understand this bid securing declaration shall expire if:-
(i) we are not the successful bidder;
(ii) the execution of agreement for procurement and performance security is furnished by us in case we are successful bidder;
(iii) thirty days after the expiration of our bid.
(iv) the cancellation of the procurement process ;or
(v) the withdrawal of bid prior to the deadline for presenting bids, unless the
bidding documents stipulate that no such withdrawal is permitted.
o in the state of
Signed.:
Name:
In the capacity of:
Duly authorized to sign the bid for and on behalf of:
Dated on day of
Corporate seal

Note: In case of a Joint Venture, the bid securing declaration must be signed in

name of all Partners of the joint venture that is submitting the bid,]

(Applicable only for the bidders fall in the category of bidders as per clause no. 13.0 (B) of tender

### FORMAT OF DECLARATION IN LIEU OF SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE IN CASE OF AWARD OF CONTRACT

To: RSMML

We, the undersigned, declare that:

We understand that, according to your conditions, the Contract must be supported by a Performance Security Declaration as a guarantee to ensure fulfillment of our all-performance obligations under the Contract for above mentioned tender.

We accept that we will automatically be suspended from being eligible for bidding in any contract with you for the suitable time if we are in breach of any of our performance obligation under the conditions of the Contract. We further understand this Performance Security Declaration shall expire after 60 days of completion of our all obligations under the Contract including Defect Liability, warranty/Guarantee, operation, maintenance, etc. in accordance with the conditions of the Contract.

Signature of tenderer with official stamp

Date:

Place



## Public Sector Banks & Private Sector banks as per schedule II of the Reserve Bank of India Act, 1954

### List of Scheduled Public Sector Banks

S.No.	Name of the Bank
1	Bank of Baroda
. 2	Bank of India
3	Bank of Maharashtra
4	Canara Bank
-5	Central Bank of India
6	Indian Bank
7	Indian Overseas Bank
8	Punjab & Sind Bank
9	Punjab National Bank
10	UCO Bank
11.	Union Bank of India
12	State Bank of India

### List of Scheduled Private Sector Banks

Dist of Scheduled Filvate Sector Banks		
S.No.	Name of the Bank	
1	Axis Bank Limited	
2	Bandhan Bank Limited	
3	CSB Bank Limited	
4	City Union Bank Limited	
5	DCB Bank Limited	
6	Dhan Laxmi Bank Limited	
7	Federal Bank Limited	
8	HDFC Bank Limited	
9	ICICI Bank Limited	
10	IndusInd Bank Limited	
11	IDFC FIRST Bank Limited	
12	Jammu & Kashmir Bank Limited	
13	Karnataka Bank Limited	
14	Karur Vysya Bank Limited	
15	Kotak Mahindra Bank Limited	
16	Nainital Bank Limited	
17	RBL Bank Limited	
18	South Indian Bank Limited	
19	Tamilnad Mercantile Bank Limited	
20	YES Bank Limited	
21	IDBI Bank Limited	
22	AU Small Finance Bank	



### Format of Undertaking

(on non-judicial stamp paper of appropriate value)

Name of contractor/suppl	lier		
	.S/oSh		
of	on	behalfofi.e	M/s
	hereby undertake	that I have submitted bank	k guarantee
Bearing BG	nofor amoun	t Rs	issued by
bank ha	ving branch	for	the work of
		(reference of tender & w	ork).
I/we will submit	that in case of liquidation new BG of same amount w y take any appropriate actio	ith in a period of 10 days, f	
		Signature of Contractor/S	Supplier(S)
		(Authorized Sign	natory)
		With Se	al
		•	
Place:			
Date:	•		

46

### Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- 1. Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- 2. Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- **3.** Not indulge in any collusion, bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- 4. Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- **5.** Not include in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- 6. Not obstruct any investigation or audit of a procurement process;
- 7. Disclose conflict of interest, if any, and
- **8.** Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

### Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a) Have controlling partners/shareholders in common; or
- **b)** Receive or have received any direct or indirect subsidy from any of them; or
- c) Have the same legal representative for purposes of the bid; or
- d) Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e) The Bidder participates in more than one bid in a bidding process. Participation by a Bidder in more than one bid will result in the disqualification of all bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one bid; or
- f) The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the bid; or
- g) Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/consultant for the contract.

## Annexure B: Declaration by the Bidder regarding qualifications Declaration by the Bidder

In re	elation to my/our Bid submitted tofor
	rement ofin response to their Notice
Învitir	ng Bids No dated
Sectio	n 7 of Rajasthan Transparency in Public Procurement Act 2012, that:
1.	I/we possess the necessary professional, technical, financial and managerial
	resources and competence required by the Bidding Document issued by the
	Procuring Entity;
2.	I/we have fulfilled my/our obligation to pay such of the taxes payable to the
	Union and the State Government or any local authority as specified in the
	Bidding Document;
3.	I/we are not insolvent, in receivership, bankrupt or being wound up, not
	have my/our affairs administered by a court or a judicial officer, not have
	my/our business activities suspended and not the subject of legal
	proceedings for any of the foregoing reasons;
4.	I/we do not have, and our directors and officers not have been convicted of
	any criminal offence related to my/our processional conduct or the making of
	false statements or misrepresentations as to my/our qualifications to enter
	into a procurement contract within a period of three years preceding the
	commencement of this procurement process, or not have been otherwise
	disqualified pursuant to debarment proceedings;
5.	I/we do not have a conflict of interest as specified in the Act, Rules and the
	Bidding Document, which materially affects fair competition;
6.	
Date:	Signature of bidder
D1	Marros
Place:	Name:
'n	Designation:
T. T	

Address:



### Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is: **Mines Dept, Govt.** of Rajasthan

The designation and address of the Second Appellate Authority is: **Finance Dept.**, **Govt. of Rajasthan** 

### i) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in the procurement proceedings:

Provided further that in case a Procuring Entity evaluates the technical bids before the opening of the financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- ii) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- iii) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2) or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

### iv) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- Determination of need of procurement;
- Provisions limiting participation of Bidders in the Bid process;
- The decision of whether or not to enter into negotiations;
- Cancellation of a procurement process;
- Applicability of the provisions of confidentiality.



### v) Form of Appeal

An appeal under para (1) or (3) above shall be in the annexed form alongwith as many copies as there are respondents in the appeal;

Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

### vi) Fee for filing appeal

- a) Fee for the first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- b) The fee shall be paid in the form of bank demand draft or bankers' cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

### vii) Procedure for disposal of appeal

- a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

# Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act 2012

Appea	al No of		
Before	e the	( First /Second Appell	ate Authority)
6.	Particulars of appellant :		•
	iii) Name of the appellant:		
	iv) Official address, if any:		
	v) Residential address:		
	Name and address of the respondent(s)	•	
	(i)		
	(ii)		
	(iii)		
8.	Number and date of the order appear	led	
	against and name and designation of	the	
	officer/authority who passed the or		
	(enclose copy), or a statement of		
	decision, action or omission of		
	Procuring Entity in contravention to		
	provisions of the Act by which		
	-	the	
	appellant is aggrieved:		
9.	If the Appellant proposes to	be	
	represented by a representative, the na	me	
	and postal address of the representative	e:	
10		ind	
	documents enclosed with the appeal:		
	· · · · · · · · · · · · · · · · · · ·		
11	. Ground	of	annoal
	•	Oi	appeal
		(Supported by ar	ı affidavit)
12	.Prayer:		•••••
	***		
Place	•		
Date:			
		Annallant'	a ajanatrira:
		Appellant	s signature :



### Annexure D: Additional Conditions of Contract

#### 1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii) If there is an error in a total corresponding to the addition or subtraction of sub totals, the subtotals shall prevail and the total shall be corrected; and
- iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

#### 2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit price or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity in the Bidding Document due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, Procuring Entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.



### 3. Dividing quantities among more than one bidder at the time of award (In case of procurement of goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the bidder, whose bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the bidder, whose bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the bidder, whose bid is accepted and the second lowest bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the bidder, whose bid is accepted.

### Application by MSME for Purchase Preference in Procurement of Goods

То,						
The Ger	neral Manager					
DIC, Di	strict					
1. Name	e of Applicant with Po	ost:				
2. Perm	anent Address:					
3. Cont	act Details:					
a. Telep	hone No.:					
b. Mobi	le No.:					
c. Fax N	No.:					
d. Emai	il Address:					
4. Name	e of micro & small en	terprise:				
5. Office	e Address:					
6. Addr	ess of Work Place:					
7. No. 8	k Date of Entreprene	ars Memoran	dum-II/Udyog <i>I</i>	Aadhaar Me	morandum:	
(encl	ose photo copy):					
8. Produ	ucts which Entreprer	neurs Memora	andum-II/Udyo	g Aadhaar		
Mem	orandum availed:					
9. Prod	ucts for which are at	present being	g produced by t	he enterpris	se:	
10. Pro	ducts which purchas	e preference l	nas been applie	d for:		
	duction capacity as p py of Capacity Asses			tificate (enc	elose	
Serial	Product		Product Produ	iction Capa	city	
No.		Quantity		Value		
1						
2						
3			· .			

### 12. List of Plant & Machinery installed:

Serial	Name of Plant &	Quantity	Value
No.	Machinery		
1			
2			
3			
4			

### 13. List of Testing Equipments installed:

Serial	Name of Testing	Quantity	Value
No.	Equipments		
1			
2			
3	-		
4			

- 14. Benefits availed in last financial year and current financial year:
- a. Benefits depositing Bid Security and Performance Security:

Last Financial	Year		Current Finan	cial Year
Department	Bid	Performance	Bid	Performance
	Security	Security	Security	Security

### b. Details of Supply orders received:

Last Financia	l Year			Current Financial Year		
Department	No. & Date of purchase order	Amount for which purchase order received	Amount of goods supplied	No. & Date of purchase order	Amount for which purchase order received	Amount of goods supplied

I declare that the above all facts given in the application are correct and my enterprise is producing the items mentioned in column No. 10.

Date



Signature (Name of the applicant Along-with seal of post)



15

tem wise Bod

Tender Inviting Authority: Head(MM)

Name of Work: FOR SUPPLY, ERECTION & COMMISSIONING OF 2 NO. BUNK HOUSE (SITE OFFICE) WITH TOILET.

e\_Tender No: RSMM/CO/MM/NIT/03/2025-26

PRICE SCHEDULE (DOMESTIC TENDERS - RATES ARE TO GIVEN IN RUPEES (INR) ONLY)
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) Name of the Bidder/ Bidding Firm /

NUMBER TEXT #	1 TEXT #	TEXT#	m	TEXT #	NUMBER #	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER #	NUMBER#	TEXT #
#			# #									
S	Item Description		Guan	Unit	BASIC PRICE in Rs.		Total CGST Total	Total	_	TOTAL AMOUNT	TOTAL AMOUNT	TOTAL AMOUNT
No.		Code	tity		per no.	charges in Rs.	in Rs. per	SGST in	in Rs. per	Without GST	With GST for	In Words for total
		_					no.	Rs. per no. no.	no.	for total quantity	total quantity	quantity
		Make										
			,		·				,		Ç	,
-		9	4	c	9	,	æ	6	2		12	13
1.01	1.01 Price for Supply, Erection & commissioning of	item1	64	2 per no.					•	0.00		0.00 INR Zero Only
	bunk nouses (site office) and Jonet unit at							-				
	company's Bajri mine site as per the scope of											-
	work, specifications and terms & condition											•
	mentioned in tender except below items.											
					-							
1.02	1.02 DG sets of 10 KVA rating with Auto panel of	item2	- 21	2 per no.	-					0.00		0.00 INR Zero Only
	Kirlosker /Mahindra/ CG/Cummins make				**************************************							
1.03	1.03 Inverters of Su-kam/Luminous/Microtek/	item3	2	2 per no.						0.00		0.00 INR Zero Only
	Exide/Amron/APC Make of 1250 VA along with 200 AH battery.									-		• .
1.04	1.04 Split ACs, 5 star rating, 2T capacity Invertor	item4	2 1	2 per no.						0.00		0.00 INR Zero Only
	technology (Hitachi/Carrier/O- General/Dalkin/Mitsubishi makes)											
1.05	1.05 Godrej make executive Tables, Model- Godrej	item5		4 per no.						0.00		0.00 INR Zero Only
	Stylo Table (size in mm-1200W*600D*750H)											
1.06	1.06 Godrej make Work Station, Model-Godrej work item6	item6	4	4 per no.						0.00		0.00 INR Zero Only
	5026 (size in mm-1500W*750D*740H)											-
1.07	1.07 Godrej make Chair, Model- Godrej Greta 2.0 High Back Chair	item7	4	4 per no.					·	00.0		0.00 INR Zero Only
1.08	1.08 Godrej make Chair, Model- Godrej Oxbo Mid	item8	8	8 per no.						0.00		0.00 INR Zero Only
	back Chair											·
Total in Figures	igures									0.00		0.00 INR Zero Only
Quoted R	Quoted Rate in Words	INR Ze	INR Zero Only	<b>X</b>							, d	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

